Cumulative Index 1991

Volume 7

February	IMAGING OF THE HAND, pages 1–238
May	PROBLEMS OF THE DISTAL RADIOULNAR JOINT, pages 239–407
August	FRONTIERS IN HAND REHABILITATION, pages 409–615
November	DUPUYTREN'S CONTRACTURE, pages 617–776

Note: Page numbers of issues and articles are in **boldface** type.

Abuse of child, radiography of, 177–178
Activities of daily living, after Sauve-Kapandji procedure, 399
Adhesive capsulitis, 209
Adult height prediction, 56–57
AIDS in hand patient, **433–445**
  epidemiology, 433–434
  HIV testing, 437–439
  HIV-infected hand patients at Jackson Memorial Hospital, 439–440
  pathogenesis of HIV, 434–435
  prevention of HIV transmission in workplace, 437
  risks to health care workers, 435–437
  team approach for patient care, 440–443
Allergy, to anesthesia, 702
Amputation in Dupuytren's contracture, 753–755
Anatomy, in arteriography, 65–70
  of DRUJ, 239–240, 329–330
    in rheumatoid arthritis, 373–374
  Dupuytren's contracture in women, 707
  and gliding ability of nerve, 505–509
  of major retaining ligaments, 313
  motion of hand and wrist, 113–114
  of nerve repair, 481–482
  of palmar fascia, normal, 646–652
    pathologic, 652–656
  radiographic, of hand, 1–2
  of TFC, **249–261**
  of wrist, magnetic resonance imaging, 87–90
Anesthesia for Dupuytren's contracture, **695–706**
  brachial plexus blocks, 697
  bupivicaine, 699–700
  capabilities and limitations, 697–698
  carbonated agents, 698–699
  choice of block, 700–701
  comments, 705–706
  complications, 702–703
    allergic reactions, 702
    CNS or cardiovascular reactions to overdose, 702
    failed or incomplete blocks, 702
    hematoma, 702
    neural damage, 703
    pneumothorax, 703
  contraindications, 697
  exercise, 700
  improvement of, 698
  latency time, 698
  lidocaine, 699
  regional versus general, 695–696
  success rate, 701
  supplementary nerve blocks, 701
Arterial occlusive disease, arteriography in, 74–80
Arteries, of hand, 66–70
  of upper extremity, 65–66
Arteriography of hand and wrist, **63–86**
  anatomy, 65–70
    hand arteries, 66–70
    upper extremity arteries, 65–66
  arterial occlusive disease, 74–80
    arterial embolism, 78–80
    atherosclerosis, 74–75
    collagen vascular disorders, 77
    thromboangiitis obliterans, 77–78
    vasospastic disorders, 75–77
  indications, 63–64
  preoperative evaluation in plastic procedures, 83–84
  technique, 64–65
  trauma, 70–74
  vascular malformations, 80–83
Arthritis, juvenile rheumatoid, 168–175
    radiographic changes, 172–175
    radiologic mimics, 175
  psoriatic, 139–142
  rheumatoid, arthrography, 208–209
    radiography of, 137–139
Arthrodesis, of DRUJ, 245
  in Dupuytren's contracture, 753
Arthrography of hand and wrist, **201–217**
  abnormal arthrogram, 204–207
    other abnormalities, 208
    radiocarpal to distal radioulnar joint communications, 206–207
    radiocarpal to midcarpal communications, 204–206
  adhesive capsulitis, 209
  in arthritis, 208–209
  congenital anomalies, 211

Arthrography of hand and wrist *(Continued)*
of DRUJ, 244, 264–268
of fingers, 211–214
abnormal arthrogram, 213–214
arthrogram technique, 211–212
indications for, 212–213
normal arthrogram, 212
injection technique, 201–203
computed tomography, 203
midcarpal injection, 203
radiocarpal injection, 202–203
radioulnar injection, 203
normal arthrogram, 203–204
midcarpal joint, 204
radiocarpal injection, 203
radioulnar injection, 203–204
scaphoid nonunion, 211
soft tissue masses, 209–211
tenography, 214–215
Arthroplasty, hemiresection interposition, for DRUJ in rheumatoid arthritis, 377
of ulnar subluxation, **329–334**
anatomy, 329–330
clinical presentation, 330
operative technique, 330–332
Arthroscopy, of DRUJ disorders, 244
of TFCC lesions, **277–281**
Articular disc lesions, and DRUJ disorders, 243
Atherosclerosis, arteriography in, 74–75
Axon, in nerve repair, 483–484
ultrastructure, 481–482
Axonal transport, 482
Axonotmesis, 484
Ayres tactile discrimination, 536

Biomechanics, of splint materials, 569–570
of superficialis finger reconstruction, 465–466
of ulnar impaction syndrome, 295–298
Black wounds, 418–419
Blood supply of hand, and Dupuytren's contracture, 622
in nerve repair, 482–483
of TFC, 259–261
Bone, mass measurement, 33
scintigraphy, 178–181
Brachial plexus, blocks, 697
gliding in thoracic outlet syndrome, 509–513
traction injuries, **547–556**
diagnosis, 549–553
ancillary tests, 553
maneuvers, 550–551
motor examination, 551
patient examination, 549–550
sensory examination, 551–553
Tinel's signs, 550–551
pathogenesis, 555
treatment, 553–555
Bupivicaine alkalinizaiton, 699–700

Capping, ulnar, 378–379
Capsulodeses, for dislocated ulna, 387
Cardiovascular system, and anesthetic overdose, 702
Carpal angle, 28
Carpal instability, 116–122
fast CT, 122
fluoroscopy, 120–122
magnetic resonance imaging, 122
motion views, 119–120
routine radiographs, 118–119
routine radiographs, 118–119
Carpal tunnel syndrome, epineural fibrous fixation, traction neuropathy, **491–504**
aftercare, 502–503
median nerve mobilization and carpal tunnel restoration, 500–501
normal hand function, 499–500
recurrence, 493–500
surgical technique, 501–502
magnetic resonance imaging, 92–96
nerve gliding. See *Nerve gliding.*
Cassette film, 18
Cell body ultrastructure, 481–482
Cells, of wound healing, 410–412
regulators, 412
Central nervous system, and anesthetic overdose, 702
Checkreins, in Dupuytren's contracture, 663
Children, joint diseases. See *Joint diseases in pediatric hand.*
Classification, of DRUJ disorders, **239–247**
anatomy and pathomechanics, 239–240
articular disc lesions, 243
diagnosis, 243–244
arthrography, 244
arthroscopy, 244
computed tomography, 244
magnetic resonance imaging, 244
radiography, 243–244
impingement, 242–243
incongruity, 243
instability, 241–242
See also-Instability, of DRUJ articulation.
literature review, 240–241
treatment, 244–245
central debridement of TFC, 245
DRUJ arthrodesis and ulnar pseudoarthrosis, 245
DRUJ stabilizing procedures, 244
ulnar head resection, 245
ulnar shortening, 244–245
of nerve injuries, 484–485
of TFCC lesions, 279–280
Cleansing, in wound management, 421
Collagen, of fibroblasts in Dupuytren's contracture, 672
vascular disorders, arteriography in, 77
Collateral ligament reconstruction using Dacron tendon, **557–567**
discussion, 562–563
indications and patient materials, 558
materials and methods, 557–558
postoperative management, 563–565
rehabilitation, 559–561
MP joint implant arthroplasty, 560–561
PIP joint implant arthroplasty, 561
ulnar collateral ligament instability at MP joint, 561
results, 562
surgical procedure, 558–559
Color code concept of wound healing, 417–419
Communication lack, 759–760
Computed tomography of hand and wrist, **219–233**
and arthrography, 203
congenital anomalies, 225
distal radioulnar joint, 220–221
of DRUJ, 244, 269–270
of foreign bodies, 128
infection, 225–233
joint diseases in pediatric hand, 181
Kienbock's disease, 225
radioulnar instability, 115–116

scaphoid fracture, 221–225
technique, 219–220
tumors, 225
Computer technology in sensibility evaluation, 539–542
Conduction studies of nerve, 523–524, 532
Conduits in nerve repair, 487–488
Congenital anomalies, arthrography of, 211
computed tomography, 225
Connective tissue sheath of nerves, 482
Cords, digital, and nodules, **645–660**
comments on, 659–660
in Dupuytren's contracture, 636–637
central, 663
pretendinous, 663
spiral, 663
palmar fascia, normal anatomy, 646–652
digital, 651–652
palmar, 646–651
pathologic anatomy, 652–656
pathogenesis, 645–646, 656
Cortical bone structure, 40–41
Crust in wound healing, 415
Crystal arthropathies, 144–147
Cumulative trauma disorder of upper limb, **587–595**
basic research, 593–594
current investigative activity, 589–590
definitions and aliases, 587–588
future needs, 591–594
hand surgeon's role, 590–591
history, 588–590
performer and performance, 591–593

Dacron stabilization of distal ulna, **365–371**
See also *Collateral ligament reconstruction using Dacron tendon.*
Debridement, in wound management, 422–423
Definitions, instability of DRUJ articulation, 311–313
Desiccation, in wound healing, 413
Diathesis, and Dupuytren's contracture, 622–624, 762–763
DIP joint extension, in Dupuytren's contracture, 752
Direct-exposure film, 18
Disinfection, in wound management, 421–422
Distal radioulnar joint (DRUJ) problems, **239–402**
acute injuries, **283–293**
distal radius fractures, 283–287
epiphyseal, 291–292
Essex-Lopresti fracture-dislocation, 290–291
Galeazzi fracture, 288–290
TFC tears without instability, 292
ulnar dislocation, dorsal and volar, 287–288
ulnar head injury, 292
arthroplasty of ulnar subluxation, **329–334**
anatomy, 329–330
clinical presentation, 330
operative technique, 330–332
arthroscopy of TFCC lesions, **277–281**
treatment, 278–280
classification of disorders, **239–247**
anatomy and pathomechanics, 239–240
diagnosis and treatment, 243–245
literature review, 240–241
proposed classification, 241–243
Dacron stabilization of distal ulna, **365–371**
excision of distal ulna in rheumatoid arthritis, **383–390**
resection technique, 384–386
stability for dislocated ulna, 386–389
imaging, **263–275**
arthrography, 264–268
computed tomography, 269–270
magnetic resonance imaging, 270–274
radiography, 263–264
scintigraphy, three-phase radionuclide, 268–269
instability of articulation, **311–327**
anatomy of retaining ligaments, 313
articular surface, 313–314
case report, 326–327
classification, 314–326
definitions and terminology, 311–313
radioulnar joint fusion, **391–395**
case studies, 392–394
technique, 391–392
in rheumatoid arthritis, **373–381**
anatomy and kinematics, 373–374
clinical presentation, 374
radiology, 374
soft tissue reconstruction, 379
surgical treatment, 375–379
treatment, 374–375
rheumatoid wrist, **335–343**
clinical study, 336
discussion, 339–342
results, 337–339
surgical techniques, 336–337
Sauve-Kapandji procedure, **397–402**
activities of daily living, 399
complications, 399–400
evaluation, 399
forearm rotation, 399
grip strength, 399
indications, 398
pain, 399
patients, 397
postoperative care, 398–399
procedure, 398
range of wrist motion, 399
stabilization of distal ulna, **345–353**
discussion, 349–352
technique, 347–349
tenodesis of distal ulna, **355–363**
chronic instability, 358–362
radiology, 357
TFC anatomy, **249–261**
electron microscopy, 256–259
light microscopy, 250–256
surface structure, 249–250
vascular anatomy, 259–261
ulnar impaction syndrome, **295–310**
biomechanics, 295–298
diagnosis, 301–302
pathology, 298–301
treatment, 302–309
Donor nerves, 486
Downey object recognition, 536
Downey texture discrimination, 536
Drag, in normal digit: two-tendon, three-joint system, 466–467
in one-tendon, three-joint system, 468
Dressings for function, 423–425
microenvironmental, 423
DRUJ. See *Distal radioulnar joint.*
Dupuytren's contracture, **617–763**
anesthesia, **695–706**
brachial plexus blocks, 697
bupivicaine alkalinization, 699–700
capabilities and limitations, 697–698
carbonated agents, 698–699
choice of block, 700–701

Dupuytren's contracture *(Continued)*
complications, 702–703
contraindications, 697
exercise, 700
improvement of, 698
latency time, 698
lidocaine alkalinization, 699
regional versus general, 695–696
success rate, 701
supplementary nerve blocks, 701
diagnosis and indications for treatment, **635–643**
comments on, 643
diagnosis, 635–636
findings, 636–638
primary or palmar, 636–637
secondary or remote, 637–638
treatment, 638–641
digital cords and nodules, **645–660**
anatomy of palmar fascia, normal, 646–652
pathologic, 652–656
comments on, 659–660
pathogenesis, 645–646, 656
dystrophy, recurrence and salvage procedures, **745–758**
comment, 757–758
flexion deformities, 750–752
postoperative complications, 745–750
recurrence, 752
salvage procedures, 752–755
fibroblast role, **669–681**
distribution, 672
enzymes, 672
free radicals, 675–676
matrix, 672–675
morphology, 669
origin, 669–672
unifying hypothesis, 676
full thickness skin graft, **731–743**
comment, 743
historical note, 739–740
nodule, 738
treatment of ectopic disease, 739
medicolegal aspects, **617–634**
blood supply of hand, 622
comments on, 633–634
courtroom confusion, 628–629
expert medical witness, 630
family history, 621
and "handedness", 620
historical introduction, 617–619
and manual labor, 620–621
microtrauma, 621
natural history and diathesis, 622–624
occupation and injury, 624–626
palm characteristics, 619
prevalence and distribution, 619–620
recurrence of, 626–628
tubemakers of Australia v. Fernandez, 629–630
myofibroblasts, **683–694**
clinical significance, 691
comments on, 693–694
passive versus active contracture, 690
Peyronie's disease, 690–691
physiology of, 689–690
tissue culture, 685–689
open palm technique, **723–729**
comment, 729
discussion, 726–727
history of technique, 723–726
pathologic anatomy, **661–668**
central cord, 663
checkreins, 663
normal anatomy, 661–662
other presentations, 663–667
pathologic anatomy, 662
preteninous cord, 663
spiral cord, 663
surgical alternatives, **715–722**
comments, 721–722
fasciectomy, 716–718
salvage procedures, 718–719
subcutaneous fasciotomy, 715–716
unsatisfactory results, **759–763**
diathesis, 762–763
surgeon's fallibility, 759–762
in women, **707–713**
anatomy and pathophysiology, 707
comments, 713
complications, 709
discussion, 708
extension, 709
recurrence, 708–709
treatment, 707–708
Dynamic assists for splints, 570–573
Dystrophy and salvage procedures in Dupuytren's contracture, **745–758**
comment, 757–758
flexion deformities, 750–752
DIP joint extension, 752
MP joint, 750
PIP joint, 750–752
postoperative complications, 745–750
dystrophile program, 749–750
hematoma, 746–747
infection, 746
neurovascular bundles, 747
reflex sympathetic dystrophy, 748–749
stiffness, 747–748
wound healing, 745–746
recurrence, 752
salvage procedures, 752–755
amputation, 753–755
arthrodesis, 753
osteotomy, 753
silastic implant, 753

Edema in wound healing, 415
Edge/depth/gap perception, 536
Electrical gradient, in wound healing, 414
Electron microscopy of TFC, 256–259
Electrophysiology, stress testing in nerve compression, 521–522
Embolism, arterial, arteriography of, 78–80
Endosteal resorption, 41–43
Enzymes of fibroblasts in Dupuytren's contracture, 672
Epidemiology, AIDS in hand patient, 433–434
Epiphysis injuries, 291–292
Equipment for work-hardening, 603–604
Essex-Lopresti fracture-dislocation, 290–291
Excursion studies, in tendon repair, 450
Exercise, and anesthesia, 700
in tendon repair, continuous passive motion, 454
Extension in Dupuytren's contracture, open palm technique, 726–727
Extensor carpi ulnaris tenodeses, 387–389
Extensor tendons. See *Tendon repair.*

Fasciectomy, for Dupuytren's contracture, 716–718

Fasciotomy, subcutaneous, 715–716
Fat, palmar, in Dupuytren's contracture, 675
Fibroblasts in Dupuytren's contracture, **669–681**
  comments on, 681
  distribution, 672
  enzymes, 672
  free radicals, 675–676
  matrix, 672–675
    collagen, 672
    glycosaminoglycans, 672
    palmar fat, 675
  morphology, 669
  origin, 669–672
  unifying hypothesis, 676
Film, radiographic, 18
  processing of, 18–20
Finger, arthrography. See *Arthrography.*
  cuffs (slings), 572–573
  reconstruction. See *Superficialis finger reconstruction.*
Flap microsurgery, 473–474
Flexion deformities, in Dupuytren's contracture, 750–752
Flexor carpi ulnaris tenodeses, 387
Flexor tendons. See *Tendon repair.*
Fluids, of wounds, 412–413
Fluoroscopy of carpal instability, 120–122
Forearm rotation, in Sauve-Kapandji procedure, 399
Foreign bodies in hand, **125–134**
  radiographic studies, 128–128
    computed tomography, 128
    magnetic resonance imaging, 128
    plain radiographs, 125
    sonography, 127
    xeroradiography, 126–127
  types of, 128–134
    glass, 130–131
    metal fragments, 128–130
    other foreign bodies, 132–134
    wood, 131–132
  in wound healing, 415
Fractures of hand, distal radius, and DRUJ injuries, 283–287
  and DRUJ instability, 242
  Essex-Lopresti, 290–291
  Galeazzi, 288–290
  occult, 195–197
  in pediatric hand, 177–178
  scaphoid, computed tomography of, 221–225
Free radicals, in Dupuytren's contracture, 675–676
Fusion, radioulnar, for DRUJ instability, **391–395**

Galeazzi fracture, and DRUJ injuries, 288–290
Garn method, 54
Garrod's nodes, 637–638
Glass in hand, radiography of, 130–131
Glycosaminoglycans, in Dupuytren's contracture, 672
Grafts in nerve repair, 486
Graphesthesia, 536–537
Greulich-Pyle atlas, 55–56
Grip strength, in Sauve-Kapandji procedure, 399
Growth of bone. See *Skeletal maturation.*
Growth factors, in nerve repair, 487

Hand, function and carpal tunnel release, 499–500
  imaging of. See *Imaging of hand.*
  normal variants, **153–166**
Hand-foot syndrome, of sickle cell disease, 177
Handedness, and Dupuytren's contracture, 620
Handscreens, in sensibility evaluation, 542–544
Healing of repaired tendons, 447–448
Health care workers, risks of HIV-infected patients, 435–437
Hematoma, in Dupuytren's contracture, 746–747
  and regional anesthesia, 702
  in wound healing, 415
Human immunodeficiency virus (HIV), pathogenesis, 434–435
  testing, 437–439
  transmission in workplace, 437
  See also *AIDS in hand patient.*
Humidity, in wound healing, 413

Imaging of hand, w1–233
  arteriography of hand and wrist, **63–86**
    anatomy, 65–70
    arterial occlusive disease, 74–80
    indications, 63–64
    preoperative evaluation in plastic procedures, 83–84
    technique, 64–65
    trauma, 70–74
    vascular malformations, 80–83
  arthrography, **201–217**
    abnormal arthrogram, 204–208
    adhesive capsulitis, 209
    in arthritis, 208–209
    congenital anomalies, 211
    of fingers, 211–214
    injection technique, 201–203
    normal arthrogram, 203–204
    scaphoid nonunion, 211
    soft tissue masses, 209–211
    tenography, 214–215
  computed tomography, **219–233**
    congenital anomalies, 225
    distal radioulnar joint, 220–221
    infection, 225–233
    Kienbock's disease, 225
    scaphoid fracture, 221–225
    technique, 219–220
    tumors, 225
  of DRUJ, **263–275**
    arthrography, 264–268
    computed tomography, 269–270
    magnetic resonance imaging, 270–274
    radiography, 263–264
    scintigraphy, three-phase radionuclide, 268–269
  foreign bodies, **125–134**
    radiographic studies, 125–128
    types of, 128–134
  joint diseases, **135–151**
    crystal arthropathies, 144–147
    erosive osteoarthritis, 137
    hand and wrist infections, 147–148
    osteoarthritis, 136–137
    other connective tissue disorders, 142
    psoriatic arthritis and Reiter syndrome, 139–142
    radiograph analysis, 135–136
    rheumatoid arthritis, 137–139
  magnetic resonance imaging of wrist, **87–98**
    normal anatomy, 87–90
    pathology, 90–97
    technique, 90
  measurements, **21–36**
    bone mass, 33
    soft tissue, 33–36

Imaging of hand *(Continued)*
wrist shape and size, 27–33
metabolic bone diseases, bone surfaces, **37–51**
endosteal resorption, 41–43
intracortical resorption, 46–50
microradioscopy, 37–40
neostosis, periosteal, 46
periosteal (subperiosteal) resorption, 43–46
motion of hand and wrist, **113–123**
anatomy, 113–114
carpal instability, 116–122
distal radioulnar instability, 114–116
kinematics, 114
normal variants, **153–166**
nuclear medicine, **183–200**
hand pain of uncertain etiology, 192–199
imaging technique, 183–185
normal three-phase study, 185
after reconstructive surgery, 199
vascular abnormalities, 185–192
skeletal maturation, **53–62**
adult height prediction, 56–57
advanced growth, 57–59
assessment methods, 54–56
dysharmonic growth, 57
retarded growth, 59
systemic disease effects, 57
techniques in hand radiology, **1–20**
anatomy of hand, 1–2
immobilization, 1
positioning of hand, 2–8
radiation protection, 1
special techniques, 8–17
thermography, **99–112**
case presentations, 105–110
conduct of examination, 101
experimental data, 101–105
historical background, 99–100
interpretation criteria, 101–105
methodology, 100–101
rationale, 100
standards, 101–105
Immunology, of nerve repair, 488
in wound healing, 415
Impingement, and DRUJ disorders, 242–243
Incongruity, of DRUJ, 243
Industrial film, 18
Infection, computed tomography, 225–233
in Dupuytren's contracture, 746, 761–762
of hand and wrist, radiography of, 147–148
in wound healing, 414–415
Inflammation, in joint disease, 199
Instability of DRUJ articulation, **311–327**
acute TFC tears, 292
anatomy of major retaining ligaments, 313
articular surface, 313–314
case report, 326–327
chronic, of ulna, 358–362
classification, 241–242, 314–322
discussion of, 322–326
I.A1. dorsal marginal ligament-TFC, 323
I.A2. volar marginal ligament-TFC deficiency, 323–324
I.A3. TFC deficient but UCL intact, 324
I.B. ulnocarpal ligaments, 324
I.C. TFCC detachment, 324
I.D. dorsal capsular ligaments, 324
II.A1. volar margin sigmoid notch deficiency, 324
II.A2. dorsal margin sigmoid notch deficiency, 324
II.A3. sigmoid notch displacement, 324–325
II.B1. displaced fracture of ulnar head with malunion, 325
II.B2. excision of ulnar head, 325
III. intra-articular surface defects, 325
IV.A1. radial shaft malunions, 325–326
IV.A2. ulnar shaft malunion, 326
IV.B. radius or ulnar length defects, 326
definitions and terminology, 311–313
radioulnar joint fusion, **391–395**

Joint diseases in hand and wrist, in adult, **135–151**
crystal arthropathies, 144–147
hand and wrist infections, 147–148
inflammatory and noninflammatory, 199
osteoarthritis, 136–137
erosive, 137
other connective tissue disorders, 142
psoriatic arthritis and Reiter syndrome, 139–142
radiograph analysis, 135–136
rheumatoid arthritis, 137–139
pediatric, **167–182**
bone scintigraphy, 178–181
computed tomography, 181
fractures and child abuse, 177–178
general concept, 167–168
hand-foot syndrome of sickle-cell disease, 177
hypertrophic osteoarthropathy, 176–177
juvenile rheumatoid arthritis, 168–175
radiologic mimics of, 175
magnetic resonance imaging, 181–182
malignancy, 175–176
skeletal maturation and measurements, 168
See also *Distal radioulnar joint (DRUJ) problems.*

Kienbock's disease, computed tomography of, 225
Kinematics, 114
DRUJ in rheumatoid arthritis, 373–374

Labor, manual, and Dupuytren's contracture, 620–621
Lederhose's disease, 638
Lidocaine alkalinization, 699
Ligaments, magnetic resonance imaging of abnormalities, 91–92
Light microscopy of TFC, 250–256
Liquid crystal contact thermography, 100

Magnetic resonance imaging (MRI) of wrist, **87–98**
foreign bodies, 128
joint diseases in pediatric hand, 181–182
normal anatomy, 87–90
pathology, 90–97
aseptic necrosis, 92
carpal instability, 122
carpal tunnel syndrome, 92–96
DRUJ disorders, 244, 270–274
ligamentous abnormalities, 91–92
masses, 96
radioulnar instability, 116
triangular fibrocartilage tears, 90–91
technique, 90
Major retaining ligament (MRL), anatomy, 313
and instability of DRUJ articulation, 323–326

Malignancy, in pediatric hand, 175–176
Mammography film-screen systems, 18
Matrix of Dupuytren's contracture, 672–675
Measurements in hand radiographs, **21–36**
  bone mass, 33
  metacarpals and phalanges, relative lengths, 21–27
  soft tissue, 33–36
  wrist shape and size, 27–33
    carpal angle, 28
    distal radius and ulna, 28–33
Mechanical influences, in wound healing, 415
Median nerve, gliding in carpal tunnel syndrome, 513–519
  mobilization, and carpal tunnel restoration, 500–501
    surgical technique, 501–502
Medicolegal aspects of Dupuytren's contracture, **617–634**
  blood supply of hand, 622
  comments on, 633–634
  courtroom confusion, 628–629
  expert medical witness, 630
  family history, 621
  handedness, 620
  historical introduction, 617–619
  manual labor, 620–621
  microtrauma, 621
  natural history and diathesis, 622–624
  occupation and injury, 624–626
  palm characteristics, 619
  prevalence and distribution, 619–620
  recurrence, 626–628
  tubemakers of Australia v. Fernandez, 629–630
Metabolic bone diseases, bone surfaces, **37–51**
  endosteal resorption, 41–43
  intracortical resorption, 46–50
  microradioscopy, 37–40
  periosteal (subperiosteal) resorption, 43–46
  neostosis, periosteal, 46
  trabecular versus cortical bone, 40–41
Metacarpals, relative length, 21–27
Metacarpophalangeal joint (MP). See *Collateral ligament reconstruction.*
Metal fragments in hand, radiography of, 128–130
Microradioscopy technique, 37–40
Microsurgery, **471–478**
  flap surgery, 473–474
  motor and sensory reconstruction, 474–477
  replantation, 472–473
  transplantation, 471–472
Microtrauma, and Dupuytren's contracture, 621
Midcarpal injection in arthrography, 203, 204
Minerals in wound healing, 416
Moberg Pick-up, 536
Mobilization in tendon repair, early active, 457
  early controlled passive, 448–450
  in Zone I, 454–456
Morphology of fibroblasts in Dupuytren's contracture, 669
Motion of hand and wrist, **13–123**
  anatomy, 113–114
  carpal instability, 116–122
    fluoroscopy, 120–122
    magnetic resonance imaging and fast CT, 122
    motion views, 119–120
    routine radiographs, 118–119
  kinematics, 114
  radioulnar instability, 114–116
    computed tomography, 115–116
    magnetic resonance imaging, 116
    routine radiographs, 115
  vascular abnormalities, 185–192
    vasospastic disease (Raynaud's phenomenon), 185
Motor examination in brachial plexus traction injuries, 551
Motor power, normal digit: two-tendon, three-joint system, 466
  in one-tendon, two-joint system, 467, 468
Motor reconstruction, microsurgery, 474–477
MP joint, in Dupuytren's contracture, 750
Myofibroblasts in Dupuytren's contracture, **683–694**
  clinical significance, full thickness skin grafts, 691
    open technique, 691
    recurrence rate, 691
  comments on, 693–694
  passive versus active contracture, 690
  Peyronie's disease, 690–691
  physiology, 689–690
  tissue culture, 685–689

Necrosis, aseptic, magnetic resonance imaging of, 92
Neostosis, periosteal, 46
Nerve, conduction velocity, 532
  gliding in thoracic outlet syndrome and carpal tunnel syndrome, **505–520**
    brachial plexus gliding in thoracic outlet syndrome, 509–513
    carpal tunnel syndrome, **505–520**
      median nerve gliding in carpal tunnel syndrome, 513–519
      normal anatomy and gliding ability of nerve, 505–509
  repair, **481–490**
    classification of injury, 484–485
      I: Seddon's neuropraxia, 484
      II: Seddon's axonotmesis, 484
      III: Sunderland, 484–485
      IV: Sunderland, 485
      V: Seddon's neurotmesis, 485
      VI: McKinnon's neuroma in continuity, 485
    future progress, 486–488
      conduits, 487–488
      growth factors, 487
      immunology, 488
      neurotropism, 487
    grafts, 486
      donor nerves, 486
      fascicular identification, 486
    normal anatomy and physiology, 481–483
      blood supply, 482–483
      blood-nerve barrier, 483
      cell body and axon, 481–482
        axonal transport, 482
      connective tissue sheath, 482
      Schwann cell, 482
    response to nerve injury, 483–484
      axon, 483–484
        distal nerve segment, 483–484
        proximal segment, 483
        receptors, 484
        site of injury, 483
      cell body, 483
    surgical repair, 485–486
      closed, 485–486
      epineurial versus fascicular repair, 486
      open, 485
Neuroma, McKinnon's, 485
Neuropathy, traction. See *Carpal tunnel syndrome,*
Neuropraxia, 484
Neurotmesis, 485
Neurotropism in nerve repair, 487
Neurovascular bundles, 747, 761

Nodule in Dupuytren's contracture, 636, 738
See also *Cords, digital, and nodules.*
Nuclear medicine, **183–200**
imaging technique, 183–185
normal three-phase study, 185
delayed bone images, 185
radionuclide angiogram, 185
soft tissue blood pool, 185
pain of uncertain etiology, 192–199
osteomyelitis, 192–195
reflex sympathetic dystrophy, 192
trauma, 195–199
after reconstructive surgery, 199
vascular abnormalities, 185–192
radial or ulnar artery thromboses, 185
vascular masses, 192
Nutrition, in tendon repair, 447
in wound healing, 416

Occupation, and Dupuytren's contracture, 624
Open palm technique for Dupuytren's contracture, **723–729**
comment, 729
history of technique, 723–726
patient differences, 727
recurrence and extension, 726–727
Operative techniques, Dacron stabilization of distal ulna, 365–371
distal ulna resection, 336–337
dorsal synovectomy, for rheumatoid wrist, 336–337
DRUJ problems in rheumatoid arthritis, 375–379
extensor carpi ulnaris tenodesis, 336–337
hemiresection interposition arthroplasty of ulnar subluxation, 330–332
radioulnar joint fusion, 391–392
resection of ulnar head, in rheumatoid arthritis, 384–386
Sauve-Kapandji procedure, 398
stabilization of distal ulna, 347–349
Osteoarthritis, 136–137
erosive, 137
Osteoarthropathy, hypertrophic, 176–177
Osteomyelitis, 192–195
Osteotomy, in Dupuytren's contracture, 753
Outriggers, 571–572
Oxygen in wound healing, 416

Pain, perception of, 532
in Sauve-Kapandji procedure, 399
of uncertain etiology. See *Nuclear medicine.*
Palm, in Dupuytren's contracture. See *Open palm technique.*
fascial anatomy, normal, 646–652
pathologic, 652–656
Palmar arch, deep, 67
superficial, 69–70
Paresthesia, 536
Pathomechanics of DRUJ, 239–240
Performer, and cumulative trauma disorder of upper limb, 591–593
Periosteal (subperiosteal) resorption, 43–46
Peyronie's disease, 638
myofibroblast role, 690–691
Phalanges, relative length, 21–27
Plantar fascial disease, 638
Plastic surgery of hand, preoperative arteriography, 83–84
Pneumothorax, and regional anesthesia, 703
Point localization, 536
Poppen Ridge sensitometer, 536
Positioning of hand in radiography, 2–8
Protein in wound healing, 416
Proximal interphalangeal (PIP) joint, in Dupuytren's contracture, 750–752
flexion contractures, 449–450
See also *Collateral ligament reconstruction.*
Pseudomotor function, 536

Quality assurance and control, 20

Radiocarpal joint, arthrography of. See *Arthrography.*
Radiography, of carpal instability, 118–119
of DRUJ, 243–244, 263–264
instability, 357
in rheumatoid arthritis, 374
of foreign bodies, 125
of joint diseases, 135–136
of radioulnar instability, 115
Radionuclide angiogram, 185
Radioulnar joint, arthrography, 203
distal (DRUJ). See *Distal radioulnar joint.*
instability of, 114–116
computed tomography, 115–116
magnetic resonance imaging, 116
routine radiographys, 115
Radius, distal, fractures of, and DRUJ injuries, 283–287
relative position, 28–33
Raynaud's phenomenon, nuclear medicine evaluation of, 185
Receptors, in nerve repair, 484
in sensibility evaluation, 527–529
Reconstructive surgery, nuclear medicine evaluation, 199
preoperative arteriography, 83–84
Recurrence of Dupuytren's contracture, 752
myofibroblast role, 691
open palm technique, 726–727
in women, 708–709
Red wounds, 417–418
Reflex sympathetic dystrophy, 192, 748–749
dystrophile program, 749–750
Rehabilitation of hand, **239–402**
AIDS in hand patient, **433–445**
epidemiology, 433–434
HIV-infected hand patients at Jackson Memorial Hospital, 439–440
HIV pathogenesis, 434–435
HIV testing, 437–439
prevention of HIV transmission in workplace, 437
risks to health care workers, 435–437
team approach for patient care, 440–443
brachial plexus traction injuries, **547–556**
diagnosis, 549–553
pathogenesis, 555
treatment, 553–555
carpal tunnel syndrome, epineural fibrous fixation, traction neuropathy, **491–504**
aftercare, 502–503
median nerve mobilization, 500–501
nerve mobilization, transverse carpal ligament, 501–502
recurrence, 493–500
collateral ligament reconstruction of MP and PIP joints, **557–567**

discussion, 562–563
indications and patient materials, 558
materials and methods, 557–558
postoperative management, 563–565
rehabilitation, 559–561
results, 562
surgical procedure, 558–559
cumulative trauma disorder of upper limb, **587–595**
current investigative activity, 589–590
definitions and aliases, 587–588
future needs, 591–594
hand surgeon role, 590–591
history, 588–590
microsurgery, **471–478**
flap surgery, 473–474
motor and sensory reconstruction, 474–477
replantation, 472–473
transplantation, 471–472
nerve gliding in thoracic outlet syndrome and carpal tunnel syndrome, **505–520**
brachial flexus gliding in thoracic outlet syndrome, 509–513
median nerve gliding in carpal tunnel syndrome, 513–519
normal anatomy and gliding ability of nerve, 505–509
nerve repair, **481–490**
classification of injury, 484–485
future progress, 486–488
grafts, 486
normal anatomy and physiology, 481–483
response to nerve injury, 483–484
surgical repair, 485–486
sensibility evaluation, **527–546**
past testing systems, 527–529
splint materials and methods, **569–585**
biomechanics/architecture, 569–570
dynamic assists, 570–573
future progress, 584
historic overview, 569
indications for soft splints, 583–584
materials, 573–574
thermoplastic materials testing, 574–583
stress testing in nerve compression, **521–526**
electrophysiologic testing, 521–522
pathophysiology, 522–523
testing protocol, 523–525
superficialis finger reconstruction, **461–469**
clinical considerations, 464–466
injured flexor tendon system, 467–468
normal digit: two-tendon, three-joint system, 466–467
surgical procedure using active tendon implant, 462–464
tendon repair, postoperative management, **447–460**
current trends, extensor tendons, 457–458
flexor tendons, 450–457
historical perspective, 447–450
work-hardening, **597–610**
case studies, 605
conceptualizing of, 598–599
historical overview, 597
imperfect system, 604–605
program, 601–604
standards for work-oriented rehabilitation, 597–598
treatment, 599–601
wound management, **409–432**
cellular events of wound healing, 410–413
cell regulators, 412
cells of wound healing, 410–412
wound fluids, 412–413
cellular response, 409–410
factors influencing cellular events, 413–416
depressed immune system, 415
infection, 414–415
local wound environment, 413–414
mechanical influences, 415
nutrition, 416
normal cellular events, 416–425
universal precautions, 425–426
Reiter syndrome, 139–142
Replantation microsurgery, 472–473
Resorption of bone. See *Metabolic bone diseases, bone surfaces.*
Rheumatoid arthritis, clinical study, 336
distal ulna resection, **335–343**
and dorsal synovectomy, **335–343**
DRUJ in, **373–381**
anatomy and kinematics, 373–374
clinical presentation, 374
radiology, 374
soft tissue reconstruction, 379
surgical treatment, 375–379
distal ulna resection, 376
hemiresection interposition technique, 377
matched distal ulna resection, 378
Sauve-Kapandji operation, 377
synovectomy, 375–376
ulnar capping, 378–379
treatment, 374–375
extensor carpi ulnaris tenodesis, **335–343**
discussion, 339–342
results, 337–339
surgical techniques, 336–337
excision of distal ulna, **383–390**
resection of ulnar head, 384–386
stability of dislocated ulna, 386–389
capsulodeses, 387
slings, 386–387
tenodeses, 387–389

Salvage procedures for Dupuytren's contracture, 718–719, 752–755
Sauve-Kapandji procedure, **397–402**
discussion, 400–402
methods, 397–399
evaluation, 399
indications, 398
patients, 397
postoperative care, 398–399
procedure, 398
results, 399–400
activities of daily living, 399
complications, 399–400
forearm rotation, 399
grip strength, 399
pain, 399
range of wrist motion, 399
work status, 399
in rheumatoid arthritis, 377
Scaphoid, fracture, computed tomography, 221–225
nonunion, arthrography of, 211
Scar contracture, 760–761
Schwann cell, 482
Scintigraphy, of bone, 178–181
three-phase radionuclide, of DRUJ, 268–269
Seddon's coin test, 536
Sensibility evaluation, **527–546**
future tests, 539

Sensibility evaluation *(Continued)*
computer technology, 539–542
site monitoring and handscreens, 542–544
standardized testing, 542
past testing systems, 527–529
present testing, 529–539
clinical testing, 538–539
detection thresholds, 537–538
pros and cons of current tests, 531–537
edge/depth/gap perception, 536
graphesthesia, 536–537
long kit, 531
mini kit, 531
moving two-point discrimination, 532
nerve conduction velocity, 532
pain perception, 532
paresthesia, 536
point localization, 536
pseudomotor function, 536
static two-point discrimination, 532
sterognosis, 536
temperature recognition, 532–536
texture recognition, 536
touch/pressure threshold test, 531
two-point discrimination, 532
vibration recognition, 536
requirement for controlled objective test, 529–531
repeatability, 530–531
selectivity, 530
sensitivity, 529–530
Sensory examination, in brachial plexus traction injuries, 551–553
microsurgery, 474–477
Sickle cell disease, hand-foot syndrome, 177
Silastic implant, 753
Site monitoring, in sensibility evaluation, 542–544
Skeletal maturation, **53–62**
adult height prediction, 56–57
assessment methods, 54–56
Garn method, 54
Greulich-Pyle atlas, 55–56
Tanner-Whitehouse method, 54–55
growth, advanced, 57–59
dysharmonic, 57
retarded, 59
systemic disease effect, 57
Skeletal maturation and measurements, 168
Skin grafts, in Dupuytren's contracture, **731–743**
comment, 743
historical note, 739–740
myofibroblast role, 691
nodule, 738
treatment of ectopic disease, 739
Skin necrosis in Dupuytren's contracture, 761
Skin pit, in Dupuytren's contracture, 637
Slings (finger cuffs), 572–573
for dislocated ulna, 386–387
Soft tissue, arthrography of masses, 209–211
blood pool, nuclear medicine evaluation, 185
injuries, 197–199
measurement, 33–36
Sonography of foreign bodies, 127
Splinting materials and methods, **569–585**
biomechanics/architecture, 569–570
Chow's Washington regimen and Brooke Army, 450–453
dynamic assists, 570–573
finger cuffs (slings), 572–573
outriggers, 571–572
traction force, 570–571
future progress, 584
historic overview, 569
indications for soft splints, 583–584
materials, 573–574
Slattery/McGrouther dynamic flexion, 450
synergistic wrist motion, 453–454
thermoplastic materials testing, 574–583
Stabilization of distal ulna, **345–353**
discussion, 349–352
in rheumatoid arthritis, 386–389
technique, 347–349
Staff, for work-hardening program, 602
Standards for work-hardening program, 597–598
Sterognosis, 536
Stiffness in Dupuytren's contracture, 747–748, 762
Stress testing in nerve compression, **521–526**
electrophysiologic testing, 521–522
NCV terminology, 522
pathophysiology, 522–523
testing protocol, 523–525
interpretation, 524–525
nerve conduction studies, 523–524
Subluxation, arthroplasty of, **329–334**
Superficialis finger reconstruction, **461–469**
clinical considerations, 464–466
biologic and biomechanical, 465–466
postoperative, 464–465
injured flexor tendon system, 467–468
one-tendon, three-joint system, 467–468
drag, 468
motor, 467
transmission, 467
one-tendon, two-joint system, 468
motor, 468
transmission, 468
normal digit: two-tendon, three-joint system, 466–467
drag, 466–467
motor, 466
transmission, 466
surgical procedure using active tendon implant, 462–464
Surgeon's role, in Dupuytren's contracture, 759–762
Surgical procedures, active tendon implant, 462–464
collateral ligament reconstruction of MP and PIP joints, 558–559
median nerve mobilization and carpal tunnel restoration, 501–502
nerve repair, 485–486
See also *Microsurgery; Operative technique.*
Synovectomy, dorsal, for rheumatoid wrist, **335–343**
DRUJ in rheumatoid arthritis, 375–376

Tanner-Whitehouse method, 54–55
Techniques in hand radiology, **1–20**
anatomy of hand, 1–2
film cassette, 18
film types, 18
direct exposure film, 18
industrial film, 18
mammography film-screen systems, 18
video film, 18
immobilization, 1
positioning, 2–8
carpal bones, 8
specific additional views, 8
routine views, 2
quality assurance and control, 20
radiation protection, 1

radiographic film processing, 18–20
tomography, 8
xeroradiography, 8–17
Telethermography, 100–101
Temperature, recognition, 532–536
in wound healing, 413
Tendon repair, postoperative management, **447–460**
extensor tendons, 457–458
flexor tendons, 450–457
adapting postoperative protocol, 456–457
Chow's Washington regimen and Brooke Army splint, 450–453
continuous passive motion, 454
early active mobilization, 457
early passive mobilization in Zone I, 454–456
excursion studies, 450
Kleinert postoperative traction brace, 453
modifications to dynamic flexion splints, 454
Slattery/McGrouther dynamic flexion splint, 450
synergistic wrist motion splint, 453–454
historical perspective, 447–450
early controlled passive mobilization, 448–450
classic Kleinert and Duran/Houser protocols, 448–449
modified Duran approach, 449
prevention/correction of PIP flexion contractures, 449–450
tendon healing, 447–448
tendon nutrition, 447
Tenodesis, for dislocated ulna, 387–389
of distal ulna, **355–363**
chronic instability, 358–362
radiology, 357
extensor carpi ulnaris, for rheumatoid wrist, **335–343**
Tenography, 214–215
Tension, of wound site, 415
Terminology, instability of DRUJ articulation, 311–313
Texture recognition, 536
TFC. See *Triangular fibrocartilage.*
TFCC. See *Triangular fibrocartilage complex.*
Thenar muscle abduction test, 495
Thermography of hand and wrist, **99–112**
case presentation, 105–110
conduct of examination, 101
experimental data, 101–102
historical background, 99–100
interpretation criteria, 102–105
methodology, 100–101
liquid crystal contact thermography, 100
telethermography, 100–101
normal standards, 101–105
rationale, 100
Thermoplastic materials for splints, 574–583
Thoracic outlet syndrome, brachial plexus gliding, 509–513
Thromboangiitis obliterans, 77–78
Thromboses in radial or ulnar artery, 185
Tinel's sign in brachial plexus traction injuries, 550–551
Tissue culture, myofibroblasts in Dupuytren's contracture, 685–689
Tomography, 8
Touch/pressure threshold test, 531
Trabecular bone structure, 40–41
Traction brace, Kleinert postoperative flexor tendon, 453
Traction force, of splint materials and methods, 570–571
Transmission, in normal digit: two-tendon, three-joint system, 466
in one-tendon, two-joint system, 467, 468
Transplantation microsurgery, 471–472
Trauma of hand, 195–199
arteriography, 70–74
inflammatory and noninflammatory joint disease, 199
occult fractures, 195–197
soft tissue injuries, 197–199
Triangular fibrocartilage (TFC), acute tears without instability, 292
central debridement, 245
histologic anatomy of, **249–261**
electron microscopy, 256–259
light microscopy, 250–256
surface structure, 249–250
vascular anatomy, 259–261
Triangular fibrocartilage complex (TFCC), arthroscopic treatment, **277–281**
and DRUJ instability, 241–242
magnetic resonance imaging, 90–91
Tubemakers of Australia v. Fernandez, 629–630
Tumors, computed tomography, 225
Two-point discrimination, moving, 532
static, 532

Ulna, acute dislocation, dorsal and volar, 287–288
distal, Dacron stabilization of, **365–371**
excision in rheumatoid arthritis, **383–390**
relative position, 28–33
resection for rheumatoid wrist, **335–343**, 376
head, excision and DRUJ instability, 242
injuries, 292
resection, and DRUJ disorders, 245
shortening, and DRUJ disorders, 244–245
stabilization. See *Stabilization of distal ulna.*
tenodesis. See *Tenodesis.*
traumatic subluxation, arthroplasty of, **329–334**
Ulnar impaction syndrome, **295–301**
biomechanics, 295–298
diagnosis, 301–302
pathology, 298–301
treatment, 302–309
Universal precautions, in wound management, 425–426

Vascular malformations of hand, arteriography of, 80–83
Vascular masses, 192
Vasospastic disease, nuclear medicine evaluation of, 185
Vasospastic disorders, 75–77
Vibration recognition, 536
Video film, 18
Viking disease, 619
Vitamins in wound healing, 416

Women with Dupuytren's contracture. See *Dupuytren's contracture.*
Wood in hand, radiography of, 131–132
Work status, after Sauve-Kapandji procedure, 399
Work-hardening, **597–610**
case studies, 605
concept of, 598–599
historical overview, 597
imperfect system, 604–605
program, 601–604
equipment, 603–604
needs, markets, and program characteristics, 601–602
physical plant, 602–603
staffing, 602
standards, 597–598

Work-hardening *(Continued)*
treatment trends, 599–601
evaluation and establishment of candidacy, 599–600
program length and duration, 601
treatment plan, 600–601
Wound management, **409–432**
cellular events of wound healing, 410–413
cell regulators, 412
cells of wound healing, 410–412
wound fluids, 412–413
cellular response, 409–410
in Dupuytren's contracture, 745–746
factors influencing cellular events, 413–416
depressed immune system, 415
infection, 414–415
local wound environment, 413–414
dessication, 413
electrical gradient, 414
humidity, 413
temperature, 413–414
mechanical influences, 415
crust and foreign body, 415
edema, 415
hematoma, 415
wound-site tension, 415
nutrition, 416
oxygen, 416
protein, vitamins, minerals, 416
normal cellular events, 416–425
color code concept, 417–419
black wound, 418–419
red wound, 417–418
yellow wound, 418
dressings for function, 423–425
microenvironmental dressings, 423
wound evaluation as basis for treatment, 416–417
wound management, 419–423
cleansing, 421
debridement, 422–423
disinfecting, 421–422
universal precautions, 425–426
Wrist, magnetic resonance imaging. See *Magnetic resonance imaging of wrist.*
normal variants, **153–166**
range of motion, in Sauve-Kapandji procedure, 399
shape and size alterations, 27–33
carpal angle, 28
distal radius and ulna, 28–33

Xeroradiography, 8–17
of foreign bodies, 126–127

Yellow wounds, 418